Honeywell

Genetron® 11

00000009898

Version 2.3 Revision Date 07/29/2014 Print Date 08/05/2014

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Genetron® 11

MSDS Number : 000000009898

Product Use Description : Aerosol propellant, Foam blowing agent, Refrigerant, Carrier

gas

Manufacturer or supplier's

details

Honeywell International Inc.

101 Columbia Road

Morristown, NJ 07962-1057

For more information call : 800-522-8001

+1-973-455-6300

(Monday-Friday, 9:00am-5:00pm)

In case of emergency call : Medical: 1-800-498-5701 or +1-303-389-1414

Transportation (CHEMTREC): 1-800-424-9300 or +1-703-

527-3887

:

(24 hours/day, 7 days/week)

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Form : liquid

Color : colourless

Odor : slight

Classification of the substance or mixture

Classification of the

: Simple Asphyxiant

substance or mixture

GHS Label elements, including precautionary statements

Page 1 / 13

Honeywell

Genetron® 11

00000009898

Version 2.3 Revision Date 07/29/2014 Print Date 08/05/2014

Signal word : Warning

Hazard statements : May displace oxygen and cause rapid suffocation.

Precautionary statements : **Prevention:**

Use personal protective equipment as required.

Hazards not otherwise

classified

: Excessive exposure may cause central nervous system effects including drowsiness and dizziness. Excessive exposure may

also cause cardiac arrhythmia. May cause eye and skin irritation.

Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP, IARC, or OSHA.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula : CCI3F

Chemical nature : Substance

Chemical Name	CAS-No.	Concentration
Trichlorofluoromethane	75-69-4	100.00 %

SECTION 4. FIRST AID MEASURES

Inhalation : Move to fresh air. If not breathing, give artificial respiration. If

breathing is difficult, give oxygen. Use oxygen as required, provided a qualified operator is present. Call a physician. Do

not give drugs from adrenaline-ephedrine group.

Skin contact : After contact with skin, wash immediately with plenty of water.

Take off all contaminated clothing immediately. Wash

contaminated clothing before re-use. If symptoms persist, call a

physician.

Page 2 / 13

Honeywell

Genetron® 11

00000009898

Version 2.3 Revision Date 07/29/2014 Print Date 08/05/2014

Eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. If symptoms persist, call a physician.

Ingestion : Do not induce vomiting without medical advice. Never give

anything by mouth to an unconscious person. Call a physician

immediately.

Notes to physician

Treatment : Because of the possible disturbances of cardiac rhythm,

catecholamine drugs, such as epinephrine, should be used with special caution and only in situations of emergency life support. Treatment of overexposure should be directed at the control of symptoms and the clinical conditions. Overdoses may cause paresthesias, generalized weakness, listlessness, vertigo, confusion, hypotension, cardiac arrhythmias and

heartblock.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : The product is not flammable.

ASTM D-1310-67 ASTM D 56-82

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Cool closed containers exposed to fire with water spray.

Specific hazards during

firefighting

: This product is not flammable at ambient temperatures and

atmospheric pressure.

Vapours are heavier than air and can cause suffocation by

reducing oxygen available for breathing.

In case of fire hazardous decomposition products may be

produced such as: Carbon monoxide Carbon dioxide (CO2) Carbonyl halides Hydrogen fluoride Hydrogen chloride gas

Special protective equipment

for firefighters

: Wear full protective clothing and self-contained breathing

apparatus.

Honeywell

Genetron® 11

00000009898

Version 2.3 Revision Date 07/29/2014 Print Date 08/05/2014

Further information : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Wear personal protective equipment.

Immediately evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Remove all sources of ignition.

Ventilate the area.

Vapours are heavier than air and can cause suffocation by

reducing oxygen available for breathing. Avoid accumulation of vapours in low areas.

Unprotected personnel should not return until air has been

tested and determined safe.

Ensure that the oxygen content is >= 19.5%.

Environmental precautions : Should not be released into the environment.

Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Methods for cleaning up : Contain spillage, and then collect with non-combustible

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Handling

Handling : Wear personal protective equipment.

Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing. Do not use in areas without adequate ventilation. Perform filling operations only at stations with exhaust

ventilation facilities. Keep away from heat.

Open drum carefully as content may be under pressure.

Page 4 / 13

Honeywell

Genetron® 11

00000009898

Version 2.3 Revision Date 07/29/2014 Print Date 08/05/2014

Advice on protection against fire and explosion

Keep product and empty container away from heat and

sources of ignition.

Storage

Requirements for storage areas and containers

: Keep containers tightly closed in a dry, cool and well-ventilated

place.

Store away from incompatible substances.

Keep away from direct sunlight.

Ensure adequate ventilation, especially in confined areas.

Keep in original packaging, tightly closed.

Protect from physical damage.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective measures : Do not breathe vapours or spray mist.

Avoid contact with skin, eyes and clothing.

Ensure that eyewash stations and safety showers are close to

the workstation location.

Engineering measures : Use with local exhaust ventilation.

Perform filling operations only at stations with exhaust

ventilation facilities.

Eye protection : Wear as appropriate:

Safety glasses with side-shields If splashes are likely to occur, wear:

Goggles or face shield, giving complete protection to eyes

Hand protection : Impervious butyl rubber gloves

Neoprene gloves

Gloves must be inspected prior to use.

Replace when worn.

Skin and body protection : Wear as appropriate:

Solvent-resistant gloves

Solvent-resistant apron and boots If splashes are likely to occur, wear:

Protective suit

Respiratory protection : In case of insufficient ventilation wear suitable respiratory

equipment.

Page 5 / 13

Honeywell

Genetron® 11

00000009898

Version 2.3 Revision Date 07/29/2014 Print Date 08/05/2014

Wear a positive-pressure supplied-air respirator.

Vapours are heavier than air and can cause suffocation by

reducing oxygen available for breathing.

For rescue and maintenance work in storage tanks use self-

contained breathing apparatus.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

Ensure adequate ventilation, especially in confined areas.

Avoid contact with skin, eyes and clothing.

Remove and wash contaminated clothing before re-use.

Keep working clothes separately.

Wash hands before breaks and immediately after handling the

product.

Exposure Guidelines

Components	CAS-No.	Value	Control parameters	Upda te	Basis
Trichlorofluorome thane	75-69-4	Ceiling : Ceiling Limit Value:	(1,000 ppm)	2008	ACGIH:US. ACGIH Threshold Limit Values

Trichlorofluorome thane	75-69-4	Ceil_Tim e : Ceiling	5,600 mg/m3 (1,000 ppm)	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical
		Limit Value and Time			Hazards
		Period (if specified)			

Trichlorofluorome thane	75-69-4	PEL: Permissi ble exposure limit	5,600 mg/m3 (1,000 ppm)	02 2006	OSHA_TRANS:US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)
		IIIIIL			CFR 1910.1000)

Trichlorofluorome thane	75-69-4	3	5,600 mg/m3 (1,000 ppm)	Z1A:US. OSHA Table Z-1-A (29
		Limit		CFR 1910.1000)
		Value:		

Page 6 / 13

Honeywell

Genetron® 11

00000009898

Version 2.3 Revision Date 07/29/2014 Print Date 08/05/2014

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Color : colourless

Odor : slight

pH : Note: neutral

Melting point/freezing point : -111.05 °C

Boiling point/boiling range : 23.8 °C

Flash point : Note: None

Evaporation rate : 19.4

Method: Compared to Butyl acetate.

: > 1

Method: Compared to CCI4.

Lower explosion limit : Note: None

Upper explosion limit : Note: None

Vapor pressure : 0.9 kPa

at 20 °C(68 °F)

Vapor density : 5.04

Density : 1.47 g/cm3

Water solubility : 2.1 g/l

Page 7 / 13

Honeywell

Genetron® 11

00000009898

Version 2.3 Revision Date 07/29/2014 Print Date 08/05/2014

Solubility in other solvents : Medium: Methanol

Note: partly soluble

Medium: Diethylether Note: partly soluble

Partition coefficient: n-

octanol/water

: log Pow: 2.3 - 2.53

Note: The product is more soluble in octanol.

Ignition temperature : Note: not determined

Molecular weight : 137.36 g/mol

SECTION 10. STABILITY AND REACTIVITY

Chemical stability : Stable under normal conditions.

Possibility of hazardous

Conditions to avoid

reactions

: Hazardous polymerisation does not occur.

Protect from heat/overheating.
 Keep away from direct sunlight.

Heat, flames and sparks.

Incompatible materials to

avoid

: Calcium Potassium

Barium Lithium

Strong acids and strong bases

Strong oxidizing agents
Powdered metals
Finely divided aluminium
Finely divided magnesium

Zinc

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be

produced such as:

Page 8 / 13

Honeywell

Genetron® 11

00000009898

Version 2.3 Revision Date 07/29/2014 Print Date 08/05/2014

Carbon monoxide Carbon dioxide (CO2) Carbonyl halides Hydrogen fluoride Hydrogen chloride gas

SECTION 11. TOXICOLOGICAL INFORMATION

Acute inhalation toxicity : LC50: 26000 ppm

Exposure time: 4 h Species: rat

: Anesthetic Concentration: 35000 ppm

Exposure time: 10 min

Sensitisation : Note: Cardiac sensitisation threshold (dog): 5000 ppm.

Repeated dose toxicity : Species: rat

Application Route: Inhalation

Exposure time: 90 d

NOAEL (No observed adverse effect level): 10000 ppm

Note: Subchronic toxicity

: Species: rat

Application Route: Inhalation Exposure time: Lifetime Exposure

NOAEL (No observed adverse effect level): 5000 ppm

: Species: mouse Application Route: Oral

Note: Carcinogenicity Did not show carcinogenic effects in

animal experiments.

: Species: rat

Application Route: Oral

Note: Carcinogenicity Did not show carcinogenic effects in

animal experiments.

Species: mouse

Application Route: Inhalation

Page 9 / 13

Honeywell

Genetron® 11

00000009898

Version 2.3 Revision Date 07/29/2014 Print Date 08/05/2014

Note: Carcinogenicity Did not show carcinogenic effects in

animal experiments.

Genotoxicity in vitro : Result: negative

Teratogenicity : Species: rat

Method: Not a teratogen

: Species: rabbit

Method: Not a teratogen

SECTION 12. ECOLOGICAL INFORMATION

Elimination information (persistence and degradability)

Biodegradability : Note: Minimal

Further information on ecology

Additional ecological

information

: Accumulation in aquatic organisms is unlikely.

This product contains greenhouse gases which may

contribute to global warming. Do NOT vent to the atmosphere. To comply with provisions of the U.S. Clean Air Act, any

residual must be recovered.

This product is subject to U.S. Environmental Protection Agency Clean Air Act Regulations at 40 CFR Part 82.

Section 611 requires the following label text on all shipments

of this product:

Warning: Contains Trichlorofluoromethane (CFC-11), a substance which harms public health and environment by

destroying ozone in the upper atmosphere.

Refer to sections 610 and 612 for list of acceptable and

unacceptable uses for this product.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Observe all Federal, State, and Local Environmental

Page 10 / 13

Honeywell

Genetron® 11

00000009898

Version 2.3 Revision Date 07/29/2014 Print Date 08/05/2014

regulations.

Note : This product is subject to U.S. Environmental Protection

Agency Clean Air Act Regulations Section 608 in 40 CFR Part

82 regarding refrigerant recycling.

SECTION 14. TRANSPORT INFORMATION

DOT UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substances, liquid,

n.o.s.

(Trichlorofluoromethane)

Class 9
Packing group III
Hazard Labels 9

Package containing > Reportable Quantity

TDG Not dangerous goods

IATA Not dangerous goods

IMDG Not dangerous goods

SECTION 15. REGULATORY INFORMATION

Inventories

US. Toxic Substances

Control Act

: On TSCA Inventory

Australia. Industrial

Chemical (Notification and

Assessment) Act

: On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL) : All components of this product are on the Canadian DSL.

Japan. Kashin-Hou Law

List

: On the inventory, or in compliance with the inventory

Page 11 / 13

Honeywell

Genetron® 11

00000009898

Version 2.3 Revision Date 07/29/2014 Print Date 08/05/2014

Korea. Toxic Chemical Control Law (TCCL) List : On the inventory, or in compliance with the inventory

Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control : On the inventory, or in compliance with the inventory

Act

China. Inventory of Existing

Chemical Substances

: On the inventory, or in compliance with the inventory

NZIOC - New Zealand : On the inventory, or in compliance with the inventory

National regulatory information

SARA 302 Components : SARA 302: No chemicals in this material are subject to the

reporting requirements of SARA Title III, Section 302.

SARA 313 Components : The following components are subject to reporting levels

established by SARA Title III, Section 313: Trichlorofluoromethane 75-69-4

SARA 311/312 Hazards : Acute Health Hazard

CERCLA Reportable

Quantity

: 5000 lbs

California Prop. 65 : This product does not contain any chemicals known to State of

California to cause cancer, birth defects, or any other

reproductive harm.

Massachusetts RTK : Trichlorofluoromethane 75-69-4

New Jersey RTK : Trichlorofluoromethane 75-69-4

Pennsylvania RTK : Trichlorofluoromethane 75-69-4

Page 12 / 13

Honeywell

Genetron® 11

00000009898

Version 2.3 Revision Date 07/29/2014 Print Date 08/05/2014

WHMIS Classification : Not Rated

This product has been classified according to the hazard criteria

of the CPR and the MSDS contains all of the information

required by the CPR.

SECTION 16. OTHER INFORMATION

	HMISIII	NFPA
Health hazard	: 1	2
Flammability	: 1	1
Physical Hazard	: 0	
Instability	:	0

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: 09/12/2012

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group