CHEM PRO LABORATORY, INC.

CHEMICAL ENGINEERS

MATERIAL SAFETY DATA SHEET

| Section I - PRODUCT IDENTIFICATION | | | | | |
|--|--|----------------------------------|--|--|--|
| Manufacturer's Name | Chem Pro Laboratory, Inc. | Trade Name | Chem Pro 3040 | | |
| Address | 941 West 190th Street | Common Name | Organic Blend with Sulfuric Acid | | |
| City, State and zip | Gardena, CA 90248-4398 | Reference or Preparer | Michael Bortnik/ Keith Johnson | | |
| Telephone | (310) 532-8611 | Date Prepared | 2-23-2004 (reviewed) | | |
| Section II - F | AZARDOUS INGREDIENTS FOR | EMERGENCIES | CONTACT 1-800-424-9300(CHEMTREC) | | |
| Chemical Names | CAS Numbers Percent | Exposure limits | | | |
| | | ACGIH (| TLV) OSHA (PEL) Others | | |
| Sulfuric Acid | 7664-93-9 10% | 1 mg/m _s | 1 mg/m ₃ 1mg/m ₃ NIOSH | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| Section III - PHYSICAL AND CHEMICAL CHARACTERISTICS | | | | | |
| Melting Point, *F | 30 to 35 °F | Specific Gravity | 1.14 | | |
| Boiling Point, °F | 200 °F | Solubility in Water | Complete | | |
| Vapor Pressure, mm Hg @ 20 °C | 10mm 18 °F | Percent Volatile | Not applicable | | |
| Vapor Density (Air=1) | א | Reactivity in Water | Not applicable | | |
| Evaporation Rate (Water=1) | △ | pH (units) | <1.0 unit | | |
| Appearance and Odor Clear brown odorless liquid. | | | | | |
| How to detect | N/A | | | | |
| Presence: (Warning Properties) | | | | | |
| Section IV - FIRE AND EXPLOSION DATA | | | | | |
| Flash Point, *F (Method Used) | Non flammable | Auto Ignition Temperature, °F | Non flammable | | |
| Flammable Limits - | LEL Lower: Not applicable UEL Upper: N | ot applicable | | | |
| Fire Extinguishing Materials: | | | | | |
| Water Spray() Foam() Carbon Dioxide() Dry Chemical(x) Others() | | | | | |
| Special Fire Fighting Procedures: | | | | | |
| H₂SO₄ or SO₃ can be released at high temperatures. Use respirator approved by NIOSH. Use respirator approved by NIOSH. | | | | | |
| , | Unusual Fire or Explosion Hazards: | | | | |
| Reacts with most metals to form hydrogen gas which can form explosive mixture with air. | | | | | |

The data in this material safety data sheet is accurate to the best of our knowledge. However, since data, safety standards, and government regulations are subject to change and the conditions of handling and use, or misuse are beyond our control, Chem Pro Laboratory, Inc. MAKES NO WARRANTY, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN AND DISCLAIMS ALL LIABILITY FOR RELIANCE THEREON. User should have relative technical skills and satisfy himself that he has all current data relevant to his particular product and its applications.

_003092

| Section V - HEAL | TH HAZARDS | | | |
|---|---|--|--|--|
| Health Effects or Risk from Expo | osure | | | |
| Acute: Respiratory | irritation and inflammation. Chronic: Lung damage. Dental erosion. Causes severe burns. | | | |
| Symptoms of Ove | r-exposure | | | |
| 1. inhaled: | Inhalation of mist can be injurious to lungs. | | | |
| 2. Contact With skin or Eyes: | Skin and eye irritation. | | | |
| 3. Absorption Through skin: | Skin irritation. | | | |
| 4. Swallowed: | Burning. LD ₅₀ for sulfuric acid in rates 2.14 g/kg. | | | |
| FIRST AID: Emerg | jency Procedures | | | |
| | th large quantities of water for at least 20 minutes, lifting upper and lower lids occasionally. a physician. | | | |
| 2. Skin Contact: Flush the Contact | oroughly with water; wash with soap/water while removing all contaminated clothing and shoes. a physician. | | | |
| 3. Inhaled: On over- | -exposure, remove to fresh air; get medical attention. | | | |
| | nduce vomiting; dilute by giving milk or water if conscious. Get medical attention immediately. | | | |
| Suspected cancer agent: | This Product's Ingredients Are Not Found In The List: | | | |
| No (x) Yes | () Federal OSHA () NTP () IARC () Cal-OSHA () | | | |
| Medical Conditions Aggravated | By Exposure: | | | |
| N/A | | | | |
| Section VI - REA | CTIVITY DATA | | | |
| Stability: | Stable (x) Unstable () | | | |
| Conditions to Avoid: | | | | |
| Temperatures abov substances and me | re 150 °F, Base (Alkali), nitrites, carbides, chlorates and metal powders. Contact with organic stals | | | |
| Hazardous Decomposition Prod | | | | |
| Sulfur trioxide gas (SO ₃) at high temperatures. | | | | |
| Hazardous Polymerization: | May Occur () Will Not Occur (x) | | | |
| Section VII - SPIL | L OR LEAK PROCEDURES | | | |
| Spill Response Procedures: | | | | |
| Flush with plenty of water and neutralize acid with soda ash, lime or bicarbonate of soda. Note: Neutralization will release CO ₂ gas requiring adequate ventilation. | | | | |
| Preparing Wastes For Disposal: | | | | |
| Neutralize acid with | alkali and flush to sewer with plenty of water if permitted by local and state regulations. | | | |
| Section VIII - SPE | ECIAL HANDLING INFORMATION | | | |
| Respiratory Protection: The NIO | use of respiratory protection depends on vapor concentration above the time-weighted TLV; use SH approved cartridge respirator or gas mask. | | | |
| Ventilation: LO | cal Exhaust () Mechanical (general) (x) Special: Other: | | | |
| Protective Gioves: Rub | ber or impermeable gloves. Eye Protection: Safety glasses, chemical goggles and or face shield. | | | |
| Other Protective Imperior clothing or Equipment: reco | ermeable aprons are advised. The availability of eye washes and safety showers in work area is immended. | | | |
| Work/HygienicPractices: N/A | | | | |
| Section IX - LABE | ELING, SPECIAL PRECAUTIONS | | | |
| DOT: UN2796 | | | | |
| HMIS Ratings: | Health: 3 Flammability: 0 Reactivity: 0 | | | |
| Special Precaution: AVOIC | d all handling and storage procedures that may result in spills, leaks or punctures. Handle and | | | |